

AO19 SERIES®

AO19 Activation Switches

Vestibule Push Plate

The 104744-X Vestibule switches combine architectural quality finishes with industrial grade components to provide attractive and reliable automatic door activation.



-H



-P



-HSS

Benefits

- The 104744 Series push plate switches are designed to provide reliable activation of any automatic door.
- Designed as a universal switch, the 104744 Series fits 2-gang Electrical Box or Surface Mount Box 104738-1015, 104753-V with no adapters necessary.
- Durable finishes.
- Each unit is built utilizing heavy gauge stainless steel, aircraft quality rivets and screws.
- The most reliable microswitch in the industry.

Features

- The 104744 Series features 2 1/2" x 4 1/2" face plates in either stainless steel or blue powder coated aluminum with etched and paint filled legends.
- 2 1/2" x 4 1/2" All Active Face Plates
- 4 1/2" x 4 1/2" Formed Stainless Steel Back Plate.
- Includes tamper-resistant screws.
- Rubber "Bellows" increases weather protection (included).

Electrical Options

- Radio Control Versions Available

Accessories

- 104738-1015 mounting box
- 104752 CP-RX Receivers
- 104753-V Mounting Box with Dual Transmitter



Technical Information

• 2 1/2" x 4 1/2" All Active Face Plate.


• 4 1/2" x 4 1/2" Formed Stainless

Steel Back Plate

• UL Listed Momentary Switch, SPDT, 15 Amp @ 125V AC

• Rubber "Bellows" increases weather protection (included)

Riser Diagram



Listings and Approvals



American National Standards Institute (ANSI)



Building Hardware Manufacturers Association (BHMA) - ANSI/BHMA A156.10 & A156.19




UL Approved Switches

Warranty

1 Year Limited Manufacturer's Warranty

Dimensions



DETEx[®]
A Century of Security
1923-2023

Detex Corporation
302 Detex Drive
New Braunfels, Texas 78130-3045 USA

PH. (830) 629-2900

(800) 729-3839

FAX (800) 653-3839


<http://www.detex.com>

USA Sales:

marketing@detex.com

International Sales:

export@detex.com

 Cancer & Reproductive Harm - www.detex.com/prop65